



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/6022/162/07/24/1576

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : SHAOXING QIANBODU KNITTING CO., LTD.
FENGHUI TOWN INDUSTRIAL ZONE, SHANGYU DISTRICT, SHAOXING
ZHEJIANG
China

Description

PPE Type : *protective glove against mechanical risks, thermal risks*

Product reference : QBD-BBQ2355

Article code : /

Glove description : Barbecue and heat-insulating gloves

Available sizes : 10 - 16

Pictures :



芊帛度

Q I A N B O D U

ShaoXing Qianbodu Knitting CO., Ltd
FENGHUI TOWN INDUSTRIAL ZONE,
SHANGYU DISTRICT, SHAOXING, ZHEJIANG, CHINA
Glove Item QBD-BBQ2355 Size 11



EN 388



224XX

EN 407



43XXXX



XX/XXXX

Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

2 2 4 X X

EN 407:2020

4 3 X X X X

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the user instructions index 01 dated from JULY 2024.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Séverine AUBERT
Certification team leader



Date of first issue: 24 July 2024
Date of end of validity: 24 July 2029



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

SHAOXING QIANBODU KNITTING CO., LTD.

**MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425**

Reference of the product	:	QBD-BBQ2355
Article code	:	/
Technical file index	:	01
Last update	:	JULY 2024

IDENTIFICATION

Reference of the product :	:	QBD-BBQ2355
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	JULY 2024

Manufacturer :

SHAOXING QIANBODU KNITTING CO., LTD.

FENGHUI TOWN INDUSTRIAL ZONE, SHANGYU DISTRICT, SHAOXING ZHEJIANG

China

tel : +86-0575-82828988

Factory :

SHAOXING QIANBODU KNITTING CO., LTD.

FENGHUI TOWN INDUSTRIAL ZONE, SHANGYU DISTRICT, SHAOXING ZHEJIANG

China

tel: +86-0575-82828988

GLOVE DESCRIPTION

General glove description and intended use:

Barbecue and heat-insulating gloves

This glove is designed against mechanical risks, thermal risks.

Type of coating finish : no coating

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		black	Carbon fibre (preoxidized fiber)	280g/m ²	10	
	dot pattern	red	silicone			1.2mm
Back		black	Carbon fibre (preoxidized fiber)	280g/m ²	10	
	dot pattern	red	silicone			1.2mm
Lining	palm/ back lining	beige	polyester/ cotton	260g/m ²	8	
	cuff lining	beige/ white	polyester /cotton /elastic	270g/m ²	8	
Cuff		black	Carbon fibre (preoxidized fiber) / elastic	310g/m ²	10	
Binding		black	polyester			
Accessories	pull tab	white	cotton			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks, thermal risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 1

Available size range: 10 - 16

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

Protection offered	Performance levels
Abrasion resistance	2
Blade cut resistance	2
Tear strength resistance	4
Puncture resistance	X
Cut Resistance method (EN ISO 13997)	X
Impact Protection	N/A

The levels of performance have been measured on the palm.

Thermal hazard EN 407:2020

Mechanical strength	
Tear strength resistance (N)	≥ 10

Thermal protections	Performance levels
Limited flame spread	4
Contact heat	3
Convective heat	X
Radiant heat	X
Small splashes of molten metal	X
Large quantities of molten metal	X

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S240403114_1	
EN 388	S240403114_1	
EN 407	S240403114_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : QBD-BBQ2355

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:


Marking example :

芊帛度

Q I A N B O D U

ShaoXing Qianbodu Knitting CO., Ltd
FENGHUI TOWN INDUSTRIAL ZONE,
SHANGYU DISTRICT, SHAOXING, ZHEJIANG, CHINA

Glove Item QBD-BBQ2355 Size 11




Marking of packaging example :

芊帛度

Q I A N B O D U

ShaoXing Qianbodu Knitting CO., Ltd
FENGHUI TOWN INDUSTRIAL ZONE,
SHANGYU DISTRICT, SHAOXING, ZHEJIANG, CHINA

Glove Item QBD-BBQ2355 Size 11



Method of marking on the glove :

silicone screen printing on label

Packaging suitable for transport:

One pair one OPP bag, 50 pairs of one cardboard box

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

1. The raw material purchase selects the environmental protection material, the glove knitting, the worker uninterruptedly tour inspection.
 2. Gloves Open Screen Plate, the technical staff will carefully check the draft, gloves plate type, to ensure the perfect printed glove products.
 3. When printing silicone rubber gloves, workers will carefully check the integrity of the screen, silicone color is correct, whether the printed product is intact.
 4. During glove inspection, each glove is carefully checked by the worker, such as whether the printing and knitting are in good condition. Trim the threads and pick out the defective ones.
 5. When the finished gloves are packed, the workers will carefully count the quantity and make sure that the inside of the carton is clean. The gloves are neatly packed into the carton.
- We do abrasion test (based on EN388 standard) every year, contact heat test (based on EN407 standard) every 5 years

INSTRUCTIONS FOR USE

SHAOXING QIANBODU KNITTING CO., LTD.

FENGHUI TOWN INDUSTRIAL ZONE, SHANGYU DISTRICT, SHAOXING ZHEJIANG

China

Glove reference : QBD-BBQ2355

Article code: /

User notice index : 01

Last update : JULY 2024

芊帛度

Q I A N B O D U

ShaoXing Qianbodu Knitting CO., Ltd
FENGHUI TOWN INDUSTRIAL ZONE,
SHANGYU DISTRICT, SHAOXING, ZHEJIANG, CHINA

Glove Item QBD-BBQ2355 Size 11

Glove description :


Barbecue and heat-insulating gloves

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE



The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 1

Available size range: 10 - 16

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Information about marking

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.



The CE marking means that this product meets the requirements of the regulation 2016/425

Mechanical hazard - EN 388:2016 + A1:2018



2 2 4 X X

Levels of performance

Abrasion resistance	2	(on 4 maxi)
Blade cut resistance	2	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	X	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

Thermal risk - EN 407:2020



Read carefully the instructions for use provided with the product

Protection against heat and flame



43XXXX

Levels of performance

Limited flame spread	4	(on 4 maxi)
Contact heat	3	(on 4 maxi)
Convective heat	X	(on 4 maxi)
Radiant heat	X	(on 4 maxi)
Small splashes of molten metal	X	(on 4 maxi)
Large quantities of molten metal	X	(on 4 maxi)

Protection limit :

The glove's area of protection is palm/back.

This glove cannot be used in an environment with air temperature more than 100°C

The glove cannot easily be removed in case of an emergency and requires the intervention of another person.

This glove provides a protection for a limited contact time with hot products.

The position of the reinforcements are : n/a.

The field of use of hand protective equipment for domestic risks is : barbeque.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear...).

For multilayer gloves or multilayer hands protective equipment for thermal domestic risks with different layers of material, the performance levels are warranted only for the whole product.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available with product.

Available on : <https://detail.1688.com/offer/696776436309.html?spm=a26286.8251493.description.2.221425b2JtnrrZ>